


AiR²BOX

Video Wall Solution

AI 360° Rotation Irregular Video Walls Solution.



Boosts Your Digital Marketing Effectiveness

Rotation

Video Wall

GUI

Made in Taiwan

Advantages

AiR²BOX is an artificial intelligence Robot/Rotation box. AiR²BOX weights 20 kg. It's compatible with TV screen under 55 inch. The content stays intact or rotates with the TV screen. AiR²BOX makes display rotate 360 degrees clockwise or counter-clockwise. The stuff can broadcast the story of each facilities and special events. the people will for sure be attracted to AiR²BOX's motion and its real time content. Plus, t-WIN will add face detector and sensor on AiR²BOX to create even more possibilities. It's time to say farewell to normal digital signage and old-fashioned marketing instrument.

Introduction

AiR²BOX includes the motor(1 pcs), extender(TX and RX) and iBOX(1 pcs). The motor contains stepper motor(1 pcs), decelerator (1 pcs), and Motion Control Card (1 pcs). These three components help users no need to worry about wires (such as HDMI and Ethernet cables) entangled behind TV screen. Besides, with iBOX connection to Motion Control Card, the content in Rotating TV screen could be compatible with content either in other Rotating TV or Static TV. t-WIN has developed a in-built software for users as well. They can edit video/image sources quite conveniently.



Benefits

AiR²BOX adopts ADC technology and Rotation module, combined with iBOX, and breaks confinement rules. It can meet all kinds of requirements—any degree you want. Therefore, it can impart all new visual experiences and benefit the economy of attention to the utmost. We expect AiR²BOX to bring another fad.

Connect

t-WIN provides customization of iBOX, which can meet the demand of all kinds of environments and requirements. Most importantly, there're no limitations on the number of display that you can set up in the irregular video wall. Many-to-many design allows users to unveil galloping imagination in the life.



Specification

API function library:

Dynamic link library(dll.) with demo application, software run on Windows 7 or 10, 32/64bit OS

P/N	lot-00007
Support	GUI interface / 360° degree
System	PC & Motion Card
Capacity	Maximum Load: 20kg Maximum Speed: 5rpm Compatibility: 40"- 55" TVs
Ethernet	Lan1(Blue): 10/100/1000 Mbps for t-WIN iBOX Lan2(Black): 10/100/1000 for motion card on PC
Operating Environment	-20°C-60°C (-4°F-140°F)
Mechanical Dimension	250mm x 250mm x 300mm / Weight: 20kg
Power Supply	Power type Single phase AC 100/200V

