

# YXD\*\*S-WC

## Outdoor Waterproof Floor Standing LCD Advertising Display



High definition picture perfect quality system  
High-fidelity quality sound  
High brightness sunlight readable screen  
Commercial designed for 24/7 operation

Intelligent temperature control  
Easy 178 degrees viewing angles  
Waterproof standard IP65  
9mm PVB laminated glass

# Shenzhen Yaxunda LCD Display Equipment Co.,Ltd

		Trade Condition			
Model No.	YXD43S-WC	YXD55S-WC	YXD65S-WC	YXD75S-WC	YXD86S-WC
Panel Specification					
<b>Panel Size</b>	43" (16:9)	55" (16:9)	65" (16:9)	75" (16:9)	86" (16:9)
<b>Resolution</b>	1920 x1080	1920 x1080	1920x1080	1920x1080	1920x1080
<b>Pixel Pitch</b>	0.4902x0.4902	0.744x0.744	0.42975x0.42975	0.4875x0.4875	0.5622x0.5622
<b>Contrast ratio</b>	4000:1	4000:1	5000:1	5000:1	1300:1
<b>Active area</b>	928*522	1210*680	1428*803	1650.24 x 928.26	1872x1053
<b>Brightness</b>	1500cd/m2	2000cd/m2	2000cd/m2	2000cd/m2	2000cd/m2
<b>Viewing angle</b>	89/89/89/89	89/89/89/89	89/89/89/89	89/89/89/89	89/89/89/89
Android Specification					
<b>Operating System</b>	Android				
<b>CPU</b>	Android RK3288 ,Octa-Core, cortex A7,2.0GHz				
<b>Memory</b>	2GB				
<b>Nand flash</b>	8GB				
<b>Storage port</b>	USB, SD card, SATA port hard disk storage				
<b>OS</b>	Android 5.1.1				
<b>WiFi</b>	Yes, inbuild WiFi (802.11b/g/n); 3G/GPS/Bluetooth(optional)				
<b>Output</b>	HDMI, LVDS				
<b>Other ports</b>	USB x 2, SD x 1, RJ45 x 1, HDMI out x 1, Audio out x 1				
<b>Speaker</b>	inbuild 2 speakers (10W/pc )				
Environment					
<b>Operation temperature</b>	-30 +50°C ( no condensation)				
<b>operation humidity</b>	5%-90% ( no condensation)				
<b>Temperature control system</b>	<p>Smart fan integrated temperature control (800W Air conditioner for option) charged heating, to meet the -30- +50 degrees outdoor environment, the display is not black, the whole machine work;</p> <p>Adopt imported centrifugal / axial fan, supporting fan speed board, automatic temperature, automatically adjust the fan speed, energy saving, extended fan life;</p> <p>Efficient multi-layer filtration system, isolated harmful dust into the machine, the whole degree of protection to IP55;</p>				
<b>Has completed the test</b>	<p>Spray waterproof test;</p> <p>High and low temperature test;</p> <p>Solar radiation test</p> <p>Machine aging test;</p>				

Address:2F,Langtian Building, No 2, ChuangYe Road, No 72 Zone, Bao'an District, Shenzhen, Guangdong, China

www.asianda.cn


Tel:0086-755-27661355

Fax:0086-755-27865721

# Shenzhen Yaxunda LCD Display Equipment Co.,Ltd


**Picture**

**Size (sample,  
55 inch)**



# Shenzhen Yaxunda LCD Display Equipment Co.,Ltd

Inside structure



# Shenzhen Yaxunda LCD Display Equipment Co.,Ltd

Smart  
Brightness  
Control



Remote Control



# Shenzhen Yaxunda LCD Display Equipment Co.,Ltd



## Cases

