

4 Port HDMI 4K Quad View KVM Switch Pro [No. 32329]

WHY VIEW ONE SOURCE WHEN YOU CAN VIEW FOUR – ALL ON THE SAME DISPLAY!

The perfect solution where display space is a premium, the Lindy 4 Port HDMI 2.0 & USB Quad View KVM Switch displays up to four devices on the same screen, either independently or at the same time.

Multiple sources fighting for screen time is a major problem, especially within industrial locations. The control rooms of factories, distribution facilities and medical centres, for example, are ever evolving, with more emphasis on data visualisation and the monitoring of video streams now essential as new processes are implemented. But in many cases, such as where space is a consideration, adding more displays is not viable or practical, so control room operatives need to make better use of the displays that they have. In many cases, the ability to display multiple devices on the same screen at the same time will dramatically increase productivity, whilst also ensuring important data is available whenever it is required.

Announced today, Lindy's latest 4 Port HDMI 2.0 & USB Quad View KVM Switch is the answer. Able to display up to four HDMI-connected PCs simultaneously on the same screen at the same time, this latest addition to Lindy's display switch range offers seamless switching between the sources and scales all outputs up to 4K 3840x2160@60Hz 4:4:4 8bit. As well as HDMI 2.0, this new interface also supports HDCP 1.4.

Control is simple thanks to selection buttons on the front of the unit. Simply select any one of the sources for full-screen view or select the outputs you want to see combined on the single screen. If built into a work station, an optional IR sensor and remote control are also available for remote switching.

Users can also continue working on each of the connected PC's by connecting a USB keyboard and mouse. In Quad View, the mouse cursor can cross from one window to the other freely by moving the mouse, without needing to select the source via the front panel buttons.

If audio is required, this is also catered for, with Stereo LPCM and Multichannel Dolby Digital, DTS, Dolby TrueHD, DTS-HD [HDMI Embedded] signals all compatible and switchable.

PRESS CONTACT

LINDY Group
Christian WESTENHÖFER
Head of Global Marketing
& Brand Management
T +49 621 47005 0
E cw@lindy.com

Prolog Communications
Jürgen HAEKEL
T +49 89 80077 0
email: jh@prolog-pr.com

Feel free to download
our product and company
photos with a resolution
of 300dpi from
www.prolog-pr.com/lindy

LINDY Group
Markircher Str. 20
68229 Mannheim
Germany
T +49 621 47005 0
E info@lindy.com
www.lindy.com

Where electronics are rack-mounted in a remote plant room, Lindy's range of CatX Extenders are able to distribute signals and provide two-way communications over a long distance in a cost-effective way.

The Lindy 4 Port HDMI 2.0 & USB Quad View KVM Switch is the perfect solution where multiple devices need to be displayed on the same screen, all in upscaled 4K HD video resolution.

Specification: 4 Port HDMI 2.0 & USB Quad View KVM Switch

- Supports HDMI 2.0, HDCP 1.4
- Features seamless switching between the sources
- Features QuadView Video mode for monitoring and control
- Max Input resolution: 1080p@60Hz 4:4:4 8bit
- Max Output resolution: 4K 3840x2160@60Hz 4:4:4 8bit
- Supports USB HID [Keyboard & Mouse only]
- Optional IR sensor and remote control available upon request
- Supports Audio over HDMI signal: Stereo LPCM and Multichannel Dolby Digital, DTS, Dolby TrueHD, DTS-HD [HDMI Embedded]
- Input ports: 4x HDMI, 4x USB Type B, IR 3,5mm, Sub-D 9pin RS232 Male
- Output ports: 1x HDMI, 2x USB Type A, Sub-D 9 pin RS232 Female
- Black Metal Enclosure
- Power Consumption: 3W
- Operating Temperature: 0°C - 40°C [32°F - 104°F]
- Storage Temperature: -20°C - 60°C [-4°F - 140°F]
- Operating Humidity: 10% - 80% [non-condensing]
- Storage Humidity: 0% - 90% [non-condensing]
- Compliance Information: CE, FCC [Class B], RoHS, REACH

Additional details are available in the Lindy online shop at www.lindy.co.uk/search/32329

For a first look at this product and others, visit the Lindy stand at ISE 201, stand 8-K140.

For further information about Lindy, visit www.lindy.com

Printable pictures relating to this press release can be found [here](#).

PRESS CONTACT

LINDY Group
Christian WESTENHÖFER
Head of Global Marketing
& Brand Management
T +49 621 47005 0
E cw@lindy.com

Prolog Communications
Jürgen HAEKEL
T +49 89 80077 0
email: jh@prolog-pr.com

Feel free to download
our product and company
photos with a resolution
of 300dpi from
www.prolog-pr.com/lindy

LINDY Group
Markircher Str. 20
68229 Mannheim
Germany
T +49 621 47005 0
E info@lindy.com
www.lindy.com



About Lindy - lindy.com

We create technology for the connected world.

New digital technologies are changing how our society communicates.

Our vision is to identify people's needs and provide the right environment for meeting them. We make this happen with leading-edge solutions that seamlessly connect, share, convert and extend a wide range of digital and analogue signals.

A wave of digitisation is sweeping our world and increasingly shaping and altering how we act and live, our homes and workplaces, businesses, public facilities and spaces – even entire cities. Digital technologies are now omnipresent. Everything is communicating with everything else: people with devices, devices with other devices, buildings with people, and buildings with other buildings. It's up to us to shape our digital future so it will yield the greatest benefits.

At Lindy we're convinced that, if we have the right ideas and persevere, we can protect the environment while enjoying safer, more rewarding lives. The basis for doing so, and the intelligence behind it, can be summed up in one word: connectivity. This is the prerequisite for all communication. And we are working to forge connections and make the whole universe of content available anywhere and in any setting.

For more than eight decades, connectivity has been the core of and driving force behind our activities. We provide state-of-the-art technologies and products that bring people and media together. And we accomplish this by connecting, sharing and converting analogue and digital signals while constantly extending the limits of transmission. Through it all, we think holistically and make sure that all components smoothly integrate. We develop intelligent, combined connectivity solutions to progressively merge our IT and AV worlds.

Digital technologies are irreversibly transforming the world's markets. They are also giving us new perspectives and enabling us to support our customers even more effectively and systematically. And that really energises us at Lindy. Our expertise and large product portfolio give us maximum flexibility for delivering solutions. No matter what our business partners and customers require, we leverage our combined connectivity solutions to boost their competitiveness.

PRESS CONTACT

LINDY Group
Christian WESTENHÖFER
Head of Global Marketing
& Brand Management
T +49 621 47005 0
E cw@lindy.com

Prolog Communications
Jürgen HAEKEL
T +49 89 80077 0
email: jh@prolog-pr.com

Feel free to download
our product and company
photos with a resolution
of 300dpi from
www.prolog-pr.com/lindy

LINDY Group
Markircher Str. 20
68229 Mannheim
Germany
T +49 621 47005 0
E info@lindy.com
www.lindy.com